

**Brake Cleaner 20 L**

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Brake Cleaner 20 L

Product code : 0890 108 719

**Manufacturer or supplier's details**

Company : Wurth Australia Pty. Ltd.

Address : Building 5, 43 - 63 Princes Highway  
Dandenong South, VIC 3175

Telephone : +61 3 8788 1111

Emergency telephone number : 1300 657 765. Advisory office in case of poisoning - National  
Poisons Centre: 131 126

E-mail address : prodsafe@wuerth.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Cleaning agent  
Detergent

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Specific target organ toxicity -  
single exposure : Category 3

Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms :   

Signal word : Danger

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
 Date of first issue: 11.06.2014

Hazard statements	:	H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	:	<p><b>Prevention:</b></p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.          P233 Keep container tightly closed.          P241 Use explosion-proof electrical/ ventilating/ lighting equipment.          P242 Use non-sparking tools.          P243 Take action to prevent static discharges.          P261 Avoid breathing mist or vapours.          P264 Wash skin thoroughly after handling.          P271 Use only outdoors or in a well-ventilated area.          P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b></p> <p>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.          P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.          P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.          P331 Do NOT induce vomiting.          P332 + P313 If skin irritation occurs: Get medical advice/ attention.</p> <p><b>Storage:</b></p> <p>P403 + P235 Store in a well-ventilated place. Keep cool.          P405 Store locked up.</p> <p><b>Disposal:</b></p> <p>P501 Dispose of contents/ container to an approved waste disposal plant.</p>

### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
 Chemical nature : Hydrocarbons

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Heptane	142-82-5	>= 60 -<= 100
Methylcyclohexane	108-87-2	>= 20 -< 30
Cyclohexane	110-82-7	>= 1 -< 10

**Brake Cleaner 20 L**

Version            Revision Date:            SDS Number:            Date of last issue: 21.09.2021  
4.0                05.05.2022                10678007-00008            Date of first issue: 11.06.2014

---

**SECTION 4. FIRST AID MEASURES**

- General advice                                : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled                                        : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact                        : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact                        : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed                                    : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed                                : May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause drowsiness or dizziness.
- Protection of first-aiders                    : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician                             : Treat symptomatically and supportively.
- 

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media                : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media            : High volume water jet
- Specific hazards during fire-fighting        : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
-

## Brake Cleaner 20 L

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 3YE

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

- Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives
- Storage period : 24 Months

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Heptane	142-82-5	STEL	500 ppm 2,050 mg/m <sup>3</sup>	AU OEL

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
 Date of first issue: 11.06.2014

		TWA	400 ppm 1,640 mg/m <sup>3</sup>	AU OEL
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
Methylcyclohexane	108-87-2	TWA	400 ppm 1,610 mg/m <sup>3</sup>	AU OEL
		TWA	400 ppm	ACGIH
Cyclohexane	110-82-7	STEL	300 ppm 1,050 mg/m <sup>3</sup>	AU OEL
		TWA	100 ppm 350 mg/m <sup>3</sup>	AU OEL
		TWA	100 ppm	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.  
 Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hand protection  
 Material : PVC

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
 Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
 Wear the following personal protective equipment:  
 If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

Appearance	:	liquid
Colour	:	colourless
Odour	:	solvent-like
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	75 - 115 °C
Flash point	:	ca. -15 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	ca. 86 hPa
Relative vapour density	:	No data available
Density	:	0.705 - 0.725 g/cm <sup>3</sup> (25 °C)
Solubility(ies) Water solubility	:	immiscible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

**Brake Cleaner 20 L**

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Highly flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

|| Not classified based on available information.

**Product:**

|| Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Heptane:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 73.5 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Methylcyclohexane:**

## Brake Cleaner 20 L

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

Acute oral toxicity : LD50 (Mouse): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 26.3 mg/l  
Exposure time: 1 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50: > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Cyclohexane:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 19.07 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

|| Causes skin irritation.

**Components:****Heptane:**

Species : Rabbit  
Result : Skin irritation  
Remarks : Based on data from similar materials

**Methylcyclohexane:**

Result : Skin irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Cyclohexane:**

Species : Rabbit  
Result : Skin irritation

**Serious eye damage/eye irritation**

|| Not classified based on available information.

**Components:****Heptane:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Brake Cleaner 20 L**

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

**Methylcyclohexane:**

Species : Rabbit  
Result : No eye irritation

**Cyclohexane:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

|| Not classified based on available information.

**Respiratory sensitisation**

|| Not classified based on available information.

**Components:****Heptane:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Methylcyclohexane:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Cyclohexane:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

|| Not classified based on available information.

**Components:****Heptane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

**Methylcyclohexane:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Cyclohexane:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**Carcinogenicity**

|| Not classified based on available information.

**Components:****Heptane:**

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

**Reproductive toxicity**

|| Not classified based on available information.

**Components:****Heptane:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

**Methylcyclohexane:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

**Cyclohexane:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**STOT - single exposure**

|| May cause drowsiness or dizziness.

**Components:****Heptane:**

Assessment : May cause drowsiness or dizziness.

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

**Methylcyclohexane:**

Assessment : May cause drowsiness or dizziness.

**Cyclohexane:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

|| Not classified based on available information.

**Repeated dose toxicity****Components:****Heptane:**

Species : Rat  
NOAEL : 12.35 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days

**Methylcyclohexane:**

Species : Rat, male  
NOAEL : 1.6 mg/l  
LOAEL : 8 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 12 Months

Species : Rat  
NOAEL : 250 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 - 54 Days  
Method : OECD Test Guideline 422

**Cyclohexane:**

Species : Rat  
NOAEL : 24.08 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days

**Aspiration toxicity**

|| May be fatal if swallowed and enters airways.

**Components:****Heptane:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Methylcyclohexane:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## Brake Cleaner 20 L

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

**Cyclohexane:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Heptane:**

Toxicity to fish : LC50 (*Gambusia affinis* (Mosquito fish)): 4,924 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (*Daphnia magna* (Water flea)): 0.2 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50: > 0.1 - 1 mg/l  
plants Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): > 0.1 - 1 mg/l  
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

**Methylcyclohexane:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 2.07 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.326 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 0.134  
plants mg/l  
Exposure time: 72 h

NOEC (*Pseudokirchneriella subcapitata* (green algae)):  
0.0221 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : NOEC (activated sludge): 2.73 mg/l  
Exposure time: 336 h  
Method: OECD Test Guideline 301D

**Cyclohexane:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4.53 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.9 mg/l  
aquatic invertebrates Exposure time: 48 h

## Brake Cleaner 20 L

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.94 mg/l  
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 9.32 mg/l  
Exposure time: 72 h

**Persistence and degradability****Components:****Heptane:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 %  
Exposure time: 10 d

**Methylcyclohexane:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Cyclohexane:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 77 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Bioaccumulative potential****Components:****Heptane:**

Partition coefficient: n-octanol/water : log Pow: 4.5

**Methylcyclohexane:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 134 - 237

Partition coefficient: n-octanol/water : log Pow: 3.88

**Cyclohexane:**

Partition coefficient: n-octanol/water : log Pow: 3.44

**Mobility in soil**

No data available

**Brake Cleaner 20 L**

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

**Other adverse effects**No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.
- 

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

- UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
Class : 3  
Packing group : II  
Labels : 3

**IATA-DGR**

- UN/ID No. : UN 3295  
Proper shipping name : Hydrocarbons, liquid, n.o.s.  
Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

**IMDG-Code**

- UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
(Heptane, Methylcyclohexane)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

- UN number : UN 3295
-

**Brake Cleaner 20 L**

Version 4.0      Revision Date: 05.05.2022      SDS Number: 10678007-00008      Date of last issue: 21.09.2021  
Date of first issue: 11.06.2014

---

Proper shipping name      :    HYDROCARBONS, LIQUID, N.O.S.  
Class                         :    3  
Packing group             :    II  
Labels                      :    3  
Hazchem Code             :    3YE

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform      :    Schedule 5  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements      :    There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Volatile organic compounds      :    Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 1,400 g/l

**The components of this product are reported in the following inventories:**

AllC                                 :    All ingredients listed or exempt.

---

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date                     :    05.05.2022

Sources of key data used to      :    Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data      eChem Portal search results and European Chemicals Agen-  
Sheet                                 cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format                        :    dd.mm.yyyy

**Full text of other abbreviations**

ACGIH                               :    USA. ACGIH Threshold Limit Values (TLV)

---

## Brake Cleaner 20 L

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2021
4.0	05.05.2022	10678007-00008	Date of first issue: 11.06.2014

---

AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN