

AXLES



AXLES



Unrivalled Performance, Unmatched Reliability

Axles are the backbone of your trailer, the unsung hero of your rig, bearing the weight to keep those wheels spinning smoothly.

Built to Go the Distance

Let's talk steel – our Axles are forged from heat-treated alloy steel, with a wall thickness ranging from 16mm and 19mm. Plus, they're manufactured under ISO 9002 quality control and ADR approved, so you know they're built tough to handle whatever Aussie terrain throws your way.

Suspension? No Worries!

Whether you're running mechanical or air suspensions, MAXUS Axles are ready to roll. They're built to handle any condition, giving you the smooth ride you need, no matter the load.

Top-Shelf Components, No Bull

We're not messing about when it comes to quality. MAXUS Axles come packed with OEM linings, seals, and bearings.

Tailored to Your Needs

Have a particular configuration in mind? Choose from our ready-made standard axle tracks or let us craft a custom axle to your specifications. Whatever your requirement, count on us to tailor a solution.

Hubs that Go the Extra Mile

Our long-life preset bearings in cast iron and aluminum hubs will stick with you through thick and thin, ensuring your wheels keep turning for the long haul.

Bearings? You Bet!

MAXUS Axles come with industry-standard tapered or parallel spindles with tapered roller bearings. Our spindles are as tough; hardened to Rockwell 38-45, and those anchor pins? Hardened steel to Rockwell 48-56.

Service that Goes the Distance

With branches Australia-wide, we've got your back from Cape York to the Great Australian Bight. You can also shop online, anytime, at maxiparts.com.au


Maintenance Made Easy

We know you've got to keep on moving, so we've made maintenance a breeze. Parts availability at our branches across Australia? Check. Quick-release brake shoes with long life, high-quality OEM linings? You got it. Cam shafts fully enclosed with easy access to grease nipples? Done and dusted.

Get your hands on MAXUS Axles today and hit the road with confidence. Because when it comes to reliability, MaxiPARTS has got you covered.

MAXUS Axles





Width Hub face	Track (approx) mm		Axle Beam OD & Thickness	Spindle Type	Typical tyre size	Brake size	Hub options	Added Options
	Steel wheels	Aluminium wheels						
1820	1850	1872	127 mm X 19 mm	TP	22.5"	16.5 x 7" or 16.5 x 8.625" 420 x 180mm or 420 x 220mm	10 stud x 285 PCD 10 stud x 335 PCD 5 Spoke Spider	Aluminium Hub Steelite/Centrifuse drums
1820	1850	1872	127 mm X 16 mm	TN	22.5"	16.5 x 7" or 16.5 x 8.625" 420 x 180mm or 420 x 220mm	10 stud x 285 PCD 10 stud x 335 PCD	Aluminium Hub Steelite/Centrifuse drums
	1850		127 mm X 16 mm	TN	22.5"	16.5 x 7" 420 x 180mm	5 Spoke Spider	
1820	1850	1872	127 mm X 16 mm	TN	19.5"	15" x 8.6" 380 x 220mm	8 stud x 275 PCD	
1820 1920	1850 1950	1872 1972	127 mm x 16 mm	TN	17.5"	12.25" x 7.5" 311 x 190mm	10 stud x 225 PCD	
-	1820	-	127 mm 16 mm	TN	17.5"	12.25" x 7.5" 311 x 190mm	3 Spoke Spider	

TP (parrallel) | TN (tapered)



MaxiPARTS



www.maxiparts.com.au

IN-STORE | ONLINE | CLICK & COLLECT

